E.F. Johnson Viking GT Interface

The following items are included in the E.F. Johnson Viking GT cable interface kit:

- 1. E.F. Johnson Viking GT interface cable assembly.
- 2. Cable tie.
- 3. Instruction sheet.
- 4. 4 pieces of Heat Shrink Tubing
- 5. 4 pieces of Wire Wrap Wire

The following steps outline the procedure for interfacing the E.F Johnson Viking GT radio to the Traklt-20.

1. Set the Traklt-20 up for a bench test and use the AVL Installer program to set the following operating constants in the installer table to the indicated value:


Transmit indicator active: High Receive indicator active: High PTT output active: Low Enable mic mute gate on transmit: Yes Enable Tx indicator as event 2: No External output active: Low

External output mode: Speaker mute

2. Configure the following jumpers as indicated:

JP1 Removed JP4 B-C

- 3. On the Traklt-20 Board remove D2.
- 4. Remove cover of the radio.
- 5. Remove Audio/Logic Board from the radio and solder the enclosed lenghts of wire wrap wire to the following points on the bottom of the Audio/Logic Board.




EFJ VIKING GT Audio/Logic Board BOTTOM VIEW

E.F Johnson Viking GT Interface (cont.)

- 6. Keeping track of which wire wrap wire is which, pass them through the small hole by J300. Reinstall Audio/Logic PCB.
- 7. Connect the wires of the Viking GT interface cable to the following points in the radio as shown in the following diagrams:

Blue J402 pin 1 Orange W/O 13 Jct. of R607 and C624 Gray W/O 10 attach and heat shrink shield Black Red J300 pin 8 Yellow J401 pin 4 attach using wire wrap wire Violet J401 pin 8 attach using wire wrap wire Green U609 pin 6 from the bottom of the Audio/Logic board (Wire wrap wire passed through board) CR600 from the bottom of the Audio/Logic board White

(Wire wrap wire passed through board)




EFJ VIKING GT Audio/Logic Board TOP VIEW

- 8. Replace cover of radio.
- 9. Connect the DB-15 end of the Viking GT interface cable to the DB-15 connector on the back of the Traklt-20.

E.F Johnson Viking GT Interface (cont.)

10. Check the Traklt-20's audio levels by performing the alignment procedure described in the Traklt-20 manual.



E.F. JOHNSON VIKING GT INTERFACE CABLE KIT 106-EFJVIKGT

Item	Description	Part No.	Qty.
1	CABLE TIE (short)	200-0081	1
2	SCREW/CLIP KIT	231-0014	1
3	CONN DB15 MALE	231-0035	1
4	COVER DB15	231-0036	1
5	10 COND CABLE	800-1115	1'